



# **The entire world of floor and carpet cleaning**

COMPETENCE IN CLEANING





# On all continents in the employment!


## Professional floor cleaning ...

Scrubber machines and industrial vacuum cleaners



Application in the  
Fördeland-Therme,  
Glücksburg.

For professional always ready for use.



Ride-on sweepers and  
scrubber machines



For huge areas in industry and trade.



Industry-powerfull vac for liquid and  
solid materials — ideal for workshops  
with numerous accessories.



... simply from WEIDNER!



# Dear Customer,



The decision to buy a new WEIDNER product is arrived at primarily by impressive application characteristics, price/performance and the advice and service offered by our company. Many customers are also interested in the development and the history of our enterprise.

The ancestral seat Schwäbisch Hall is located in Baden-Württemberg. In this region commitment and care play an important role. WEIDNER has been supplying quality products for three generations.

We started in the year 1918 with the manufacture of agricultural vehicles and appliances. Further developments in to the vehicle sector led to production of recovery vehicles and mobile Goliath cranes. Even cars were manufactured by WEIDNER in the early years. A car from this period can still be seen today in the German Museum in Munich. During the sixties, the first WEIDNER high pressure cleaners were manufactured. The high demand for this new product led to an extensive expansion of this product range.

Industrial vacuum cleaners, carpet/upholstery cleaners, floor scrubbers as well as sweepers and vacuum sweepers have been included in the WEIDNER range. A comprehensive programme for cleaning and cleanliness offers the prospective customer the possibility to select the model especially tailored to their requirements.

The increasingly demanding environmental directives have induced us to develop water treatment units and stationary cleaning equipment, which today also belong to the fixed component of our successful product range. Our customers expect future orientated technology and tested quality. The international success (WEIDNER cleaning machines and appliances are at home world-wide on all continents) is confirmation that our products comply with the requirements and the high demands of the varied markets.

We endeavour to constantly further the development of our products and to achieve our sales programme. We want to be the best! Our aim is not only to satisfy our customers, but to gain their confidence and enthusiasm.

Take us at our word.

*Fritz Weidner*

Fritz Weidner  
Managing Director





# The big -program for cleaning & cleanliness

Introducing the big WEIDNER catalogue with the complete product range for both cleaning and cleanliness. There are many elements which speak for the increasing success of our products.

### Quality to the last detail!

For over 75 years the trademark WEIDNER is renowned for high quality and solid reliability. »Satisfied customers ensure tomorrow's success!« Constant checking of materials and strict production controls ensure the high quality standard.

### The most up-to-date technology!

Our customers expect products which are distinguished by exceptional application features, which confirm our endeavours for technical advance. Comfortable handling, safety features and the economical running costs are the clear-cut features of the WEIDNER technology.

### Safety!

WEIDNER products comply, of course, with international safety regulations. The Safety tests in the electrical and mechanical areas are carried out by German and foreign institutes. These tests confirm the measures undertaken by us for the safety of our products during daily use.

### Ergonomics!

The human being is at the centre when it comes to the development and construction of modern machines and tools. In the interests of health and for the prevention of unnecessary burdens, the discoveries of modern work medicine are considered in the product design.

### Environmental consciousness!

With WEIDNER not only the effective economy of our products counts, we also endeavour to reduce the burden to a minimum. Measures of noise are reduced, usage of recyclable raw materials where possible, effective lowest energy consumption at a high degree, utilisation possibilities of re-growing raw materials such as bio-diesel for fuel, the use of biodegradable cleaning agents and water and energy methods etc., are put in to practice.

### Specialist advice!

The innovation of the WEIDNER product is to suit our customers requirements and necessity. Our customers receive a quality product that is tailored for their individual demands. Many factors must be considered during a good consultation; will the product be used in the private or in the trade area? Which accessories are suitable for the purpose? Is the appliance subjected to extensive use, i.e. professional cleaning companies? The professional advice from our specialists protects against wrong decisions and therefore prevents difficulty.

### Service!

A fast and reliable service is obligatory for us. The most important serviceable parts are stocked and are usually available to you on site within 24 to 48 hours. The WEIDNER service technicians are carefully trained. This way repairs are carried out with the utmost efficiency and cost effectiveness.

The catalogue shows the diversity of our range. The most important information and capacity data is clearly allocated to the individual product groups. The extensive range of accessories shows clearly the flexibility of our products.

If you have further questions do not hesitate to avail of the advisory service of our distribution partner or the advisory service of our factory.

We will demonstrate our products on request.



WEIDNER has the complete programme for cleaning and cleanliness. The individual product families are illustrated and described on the following pages.

To give a better overview, the product ranges have been arranged in 3 groups:

- Recommended for semi professional use
- Products for business and industrial applications
- Products for daily, industrial cleaning applications



## CONTENT

Scrubber Dryer and Accessories	Page 8 – 13
Sweeping Vac and Accessories	Page 14 – 21
Carpet Washer and Accessories	Page 22 – 23
Industrial Vacuum Cleaner Special Vacuum Cleaner and Accessories	Page 24 – 33
Single Disc Machines and Accessories	Page 34 – 35



# For smaller areas – simply professional

**Floor Scrubber COMET 3-32 E**

This unit is used mainly on smaller surfaces for hard floor cleaning (aprox. 120 m<sup>2</sup>), i.e. in coffee shops, changing rooms, restaurants, canteens and kitchens. One roller brush ensures pore deep cleaning. Fresh water and chemicals can be dispensed and metered onto the brushes. Central vacuuming of dirty water tank. The manual bar can be folded down, this enables also effortless cleaning underneath benches and tables. The height of the brush roller can be adjusted to each cleaning task, even wet cleaning of carpets. Low weight, compact dimensions and 2 runners allow easy transport and use of this appliance.



**Floor Scrubber COMET 2-36 B/E**

For areas up to 400 m<sup>2</sup>, suitable for hard floor. Mechanical traction forwards upon the brush. Separate tanks for fresh and dirt water. Suction of dirt water in front and behind the brush. The brush can be changed without problems. Since the handle is movable, the machine allows cleaning without problems also under low objects. Because of the machine size it can be stowed very comfortably. With special accessories the scrubber can be used for spray extraction.

**The special advantages are obvious:**

- Easy, effortless operation
- Large surface capacity
- Deep cleanliness and hygiene
- Enormous time and cost saving due to quality performance at a reasonable price

Model	Order-no.	Width brush/suction	Max. working consumption	Fresh water- tank	Dirt water tank	Operating voltage	Brush motor	Suction motor	Dimensions W x H x D	Weight	Users- recommend.
		mm	m <sup>2</sup> /h	l	l	Volt	W	W	mm		
COMET 3-32 E	BS3 032000E	320	800	3	8	230	200	800	340x320x1130	13	■
COMET 2-36 B	BS2 036000B	360/450	1080	12	13	12/55 Ah	250	250	720x470x615	59	■ ■ ■
COMET 2-36 E	BS2 036000E	360/450	1080	12	13	230	250	250	720x470x615	59	■ ■ ■

◀ COMET 3-32 E

COMET 2-36 B/E ▲







# The new generation

– simply professional

## The COMET series combines long lasting know-how and technical feasibility

The compact build scrubbers have the dirt water tank on top of the fresh water tank, so easy high dump of the dirt water into bucket or toilet is possible.

The arrangement of the tanks ensure a perfect balance of the machine at any time and guarantees a constant excellent cleaning result. The rotation of the plate brush is giving the forward traction to the machine. Easy brush fixation due to self centring adaptor. The machine is very easy to handle and can reach even narrow areas. Simple replacement of the brush due to self center intake.



▼ COMET 2-45 B/E

**Technical features:**

- Over dimensioned brush motor with overload protection
- Brush pressure infinitely variable
- Operating panel easy to operate with big levers
- Fine dosing of the chemical
- Easy change of the brush
- Parabolic squeegee
- High dump of the dirt water
- Freshwater tank with drainage valve
- Easy access to battery compartment
- Compact construction, easy to handle
- Built in charger with check light
- Charging plug is located outside



Model	Order-no.	Width brush/suction	Max. working consumption	Fresh water tank	Dirt water tank	Operating voltage	Brush motor	Suction motor	Driving motor	Dimensions W x H x D	Weight	Users-recommend.
		mm	m³/h	l	l	Volt	W	W	W	mm	kg	
COMET 2-45 B	BS2 045000 B	450/750	1400	42	50	24	600	480	—	1130x450x967	57	
COMET 2-45 E	BS2 045000 E	450/750	1400	45	60	230	375	1000	—	1045x450x930	55	



# Fast and efficient

– simply made for professionals

The machines are built up simple and reliable. The large dimensioned fresh and dirt water tanks, the parabolic squeegee, the high vacuum power, functional operating panel and the excellent cleaning result are some of the features of this machine.

The destination is for industrial and professional applications, even under rough conditions.



**Additional features are:**

- Forward and backward drive with the built in traction motor
- Infinitely adjustment speed
- High brush pressure for excellent cleaning results
- Simple mechanical lowering and lifting of the brushes



Dosierette: For optimal dosing of cleaning agent directly over the tap.  
Article-No.: 3729900350



COMET 2-55 B ►  
COMET 1-70 B

Model	Order-no.	Width brush/suction	Max. working consumption	Fresh water tank	Dirt water tank	Operating voltage	Brush motor	Suction motor	Driving motor	Dimensions W x H x D	Weight*	Users-recommend.
		mm	m³/h	l	l	Volt	W	W	W	mm	kg	
COMET 2-55 B	BS2 055000 B	550/820	2200	67	77	24	600	400	200	1320x560x1070	100,0	
COMET 1-70 B	BS1 070000 B	700/1030	2800	88	91	24	1000	550	450	1460x740x1170	136,5	



For big expectations  
– simply professional

Ride on Scrubber COMET 75

This machine is used for a fast and efficient ground and maintenance cleaning of large areas for industrial buildings, shopping malls, hypermarkets and apartment buildings. With the battery pack the machine has up to 5 operating hours work cycle. The large dimensioned holding tanks for fresh and dirt water ensure a good sized area being cleaned with one filling. Simplicity, reliability, the good manageability easy to



▼ COMET 1-75 B



COMET 1-87 B ►



COMET 1-122 B ►




Technical highlights:

- Both tanks can be emptied easy with a discharge hose
- Fine dosing of the chemical solution
- Over dimensioned brush drive motors
- Brush covers avoid splashing water
- Traction drive with traction wheels
  - COMET 1-75 B traction on front wheel
  - COMET 1-87 B traction on front wheel
  - COMET 1-122 traction on all 3 wheels
- Infinitely variable speed forward and backward
- Parabolic squeegee
- Solid and robust machine frame
- Battery load condition indicator
- Flashing beacon
- Parking brake

Model	Order-no.	Width brush/suction mm	Wax. working consumption m²/h	Fresh water tank l	Dirt water tank l	Operating voltage Volt	Brush motor W	Suction motor W	Driving motor W	Dimensions W x H x D mm	Weight kg	Users- recommend.
COMET 1-75 B	BS1 075000 B	750/900	3750	130	155	24	1000	480	900	1750x770x1490	303	
COMET 1-87 B	BS1 087000 B	870/1110	6090	190	210	36	1400	650	450	1900x960x1450	355	
COMET 1-122 B	BS1 122000 B	1220/1450	8554	270	350	36	2x1500	650	3x600	2220x1280x1690	555	

operate and the high efficient cleaning result, infinitely variable forward and backward traction, high brush pressure, fine dosing of the chemicals, parabolic squeegee, the good vacuum suction and the beacon are some of the features of this ride on scrubber.










		BS 3032000 E	BS 2036000 B/E	BS 2045000 E	BS 2045000 B	BS 2055000 B	BS 1070000 B	BS 1075000 B	BS 1087000 B	BS 1122000 B
Description	Order-No.									
 Nylon brush	BSZ U 550001				②					
	BSZ U 700001					②				
	BSZ U 750001						②			
	BSZ U 870001		①	①				②		
	BSZ U 122001									②
 Pads dragging disc	BSZ U 550004				②					
	BSZ U 700004					②				
	BSZ U 750004						②			
	BSZ U 870004		①	①				②		
	BSZ U 122004									③
 Tynex-disk	BSZ U 550005				②					
	BSZ U 700005					②				
	BSZ U 750005						②			
	BSZ U 870005		①	①				②		
	BSZ U 122005									③



		BS 3032000 E	BS 2036000 B/E	BS 2045000 E	BS 2045000 B	BS 2055000 B	BS 1070000 B	BS 1075000 B	BS 1087000 B	BS 1122000 B
Description	Order-No.									
Wet-battery	BSZ 0045 BA 12 V - 100 Ah				②	②				
	KSZ 0600 BA 6 V - 240 Ah						④	④	⑥	⑥
Gel-battery	KSZ 0500 BW 12 V - 100 Ah				②	②				
	KSZ 1000 BW 6 V - 225 Ah						④	④	⑥	⑥
	81101080050 12 V - 55 Ah	①								
Charging unit	KSZ 3043 LA 24 V - 18 A				○	○				
	KSZ 2000 LA 24 V - 20 A						○	○		
	KSZ 2203 LA 36 V - 20 A								○	○
Charging unit	KSZ 3500 LW 24 V - 14 A				○	○				
	KSZ 2000 LW 24 V - 20 A						○	○		
	KSZ 2204 LW 36 V - 20 A								○	○
	81101080045 12 V - 6 A	○								
Battery-trough	BSZ 0050 BA 36 V - 320 Ah							①	①	
Charging unit	BSZ 0050 LA 36 V - 40 A							○	○	
	Automatic-filling-syst.							○	○	

● Standard accessories ○ Special accessories ② Number of special accessories (here 2 pieces) ③ Number of standard accessories (here 2 pieces)

		BS 3032000 E	BS 2036000 B/E	BS 2045000 E	BS 2045000 B	BS 2055000 B	BS 1070000 B	BS 1075000 B	BS 1087000 B	BS 1122000 B
Description	Order-No.									
 Superpad	PAD 600 SC 110 black					②				
	PAD 600 SC 140 black						②			
	PAD 600 SC 150 black	①						②		
	PAD 600 SC 160 black								③	
	PAD 600 SC 170 black		①	①					②	
	PAD 600 BR 110 brown					②				
	PAD 600 BR 140 brown						②			
	PAD 600 BR 150 brown	①						②		
	PAD 600 BR 160 brown								③	
	PAD 600 BR 170 brown		①	①					②	
	PAD 600 GR 110 green					②				
	PAD 600 GR 140 green						②			
	PAD 600 GR 150 green	①						②		
	PAD 600 GR 160 green								③	
	PAD 600 GR 170 green		①	①					②	
	PAD 600 BL 110 blue					②				
	PAD 600 BL 140 blue						②			
	PAD 600 BL 150 blue	①						②		
	PAD 600 BL 160 blue								③	
	PAD 600 BL 170 blue		①	①					②	
	PAD 600 RO 110 red					②				
	PAD 600 RO 140 red						②			
	PAD 600 RO 150 red	①						②		
	PAD 600 RO 160 red								③	
	PAD 600 RO 170 red		①	①					②	
	PAD 600 BE 110 beige					②				
	PAD 600 BE 140 beige						②			
	PAD 600 BE 150 beige	①						②		
	PAD 600 BE 160 beige								③	
	PAD 600 BE 170 beige		①	①					②	
	PAD 600 WE 110 white					②				
	PAD 600 WE 140 white						②			
	PAD 600 WE 150 white	①						②		
	PAD 600 WE 160 white								③	
	PAD 600 WE 170 white		①	①						



# Sweeping Vac



## Manual Sweeper »STAR 2000 H«

A fantastic sweeping result and enormous surface capacity in comparison to sweeping with a brush and shovel, distinguish these sweepers. The STAR 2000 is capable of sweeping 10 times faster than manually.

### The advantages of this sturdy sweeper are:

- Solid metal frame
- Sweeps forwards and backwards
- Both dirt containers can be removed easily for emptying
- The adjustable height of the central brush ensures an optimal sweeping result, easy pushing and the maximum utilisation of the main brush
- Side broom can be folded upwards,
- Space saving vertical storage due to the slide bar, which can be folded to the front



▲ Sweeper STAR 2000 H



Sweeper with opened dirt container



Vacuum Sweeper ▲ STAR 5050 B

▲ Vacuum Sweeper STAR 5050 E

## »STAR 5050 B/E«

The smallest version of sweeping vac, available with unleaded 4 stroke petrol engine or as almost complete silent electric version.

Due to the adjustable drive forward, the speed can be adapted to the sweeping conditions, which enables effortless vacuum sweeping in trade and industry. Even larger surfaces can also be cleaned up easily.

The permanent suction and the large dimensioned panel filter with filter shaking system enables environmental friendly and dust free sweeping, the vacuum flow stop also enables sweeping in wet areas, without damaging the filter.

With the lowering side brush the sweeping of curbstones and walls is very easy. Enormous manoeuvrability, the high technical standard, fantastic sweeping results, design and the reasonable purchase price amend the advantages of this model series.

Model	Order-no.	Drive	Efficiency	Max. working width		Noise	Operating time	Filter size	Container content	Dimension W x D x H	Weight*	Users-recommend.
			m²/h	mm	mm							
STAR 2000 H	KSY 02000 H	manual	2500	500	700				30	760x750x950	35	■ ■
STAR 5050 E	KSY 05050 E	12 V electric motor	2500	500	700	70	2	1,9	40	1070x720x1090	75	■ ■
STAR 5050 B	KSY 05050 B	single-cylinder four petr. eng.	2500	500	700	72	3	1,9	40	1070x720x1090	78	■ ■

\* weight without batteries



## Sweeping Vac 8100 B/E

This manoeuvrable, walking behind sweeping vac is ideally suited for medium surfaces in trade and industrial factories, supermarkets and underground garages. The WEIDNER STAR 8100 is available in a »lead free« petrol version with Honda engine, or as low noise battery operated version, therefore, suitable for internal as well as for external sweeping.

The dust free vacuum sweeping using the »throw over principle« ensures maximum cleanliness and a fully filled dirt container. Even larger parts can be swept up, thanks to the »rough dirt flap«. Due to the »vacuum flow stop«, wet surfaces can also be swept, without damaging the dust panel filter. A few of the technical highlights of this appliance are: corrosion resistant plastic hood with service opening, fold down side broom, filter cleaning device system environmental friendly drive systems.



Sweeping Vac STAR T1001 in action.



STAR T1001 B ▲

Model	Order-no.	Drive	Efficiency	Max. working width		Noise	Filter size	Container content	Dimension W x D x H	Weight	Users-recommend.
			m²/h	mm	mm						
STAR 8100 E	KS2 08100 E	12V electric motor	3400	600	850	70	2,5	50	1400x880x1010	105	■ ■
STAR 8100 B	KS2 08100 B	2,2 PS single-cylinder four stroke Honda petr. eng.	3400	600	850	72	2,5	50	1400x880x1010	116	■ ■
STAR T 1001 E	KSYT 1001 E	24 V electric motor	6800	700	1100	71,5	4	65	1500x950x1350	238	■ ■
STAR T 1001 B	KSYT 1001 B	5,5 PS single-cylinder four stroke Honda petr. eng.	6800	700	1100	81	4	65	1500x950x1350	298	■ ■

\* weight without batteries

# Sweeping Vac



▼ STAR 8100 B/E

## WEIDNER rides on sweeping vac Type STAR T1001 B/E

This sweeper is available, selectively, with a lead-free Honda petrol engine or as a battery operated version, depending on type of application. Both types of machine are suitable for sweeping on internal and external surfaces. With a working width of up to 1.1 m, large areas can be cleaned quickly and in a comfortable and environmental friendly way.

### The technical features of this model range are:

- Dust-free sweeping in the "throw over principle" ensure an optimal sweeping result and a dirt container full to the brim
- The infinitely variable drive forwards and backwards ensures enormous manoeuvrability
- A large panel filter with electric filter shaker warrants dustfree working
- Vacuum flow stop for sweeping even on wet areas.
- The rough dirt flap enables even the sweeping up of larger articles
- Lowering down side brush for effortless sweeping at walls, brick walls and kerbstones
- Distance rollers on both sides prevent damages





# For smaller areas to sweep...



STAR 8500 B/E ▲

Parking houses, outdoor areas, sport arenas, pedestrian areas, industrial areas are the fields of activities for this small robust sweeping vac. The unit is available with petrol engine or battery powered.

The handling of the unit is very easy and mechanical based with simple levers and no electronic gimmicks. The machine is kept simple and reliable and is easy to maintain.

**STAR 1-110**  
**Technical features:**

- Solid metal construction
- Infinitely variable drive forward and backward
- Easy start due to centrifugal clutch
- Rear wheel drive
- Dust free efficient sweeping into front container
- Large dirt flap pedal operated
- 2 side brushes
- Panel filter with electric shaker
- Electric engine starter
- Super elastic tyres
- Seat safety switch, horn, flashing beacon
- Parking brake
- Hour meter
- Honda 4 stroke engine



STAR 1-110 ►  
Standard equipment  
2 side brushes

Model	Order-no.	Drive	Efficiency	Max. working width		Noise	Filter size	Container content	Dimension W x D x H	Weight*	Users-recommend.
			m²/h	mm	mm						
STAR 8500 E	KS2 08500 E	24 V electric motor	3800	700	850	70	3,5	50	1400x880x980	105	■ ■
STAR 8500 B	KS2 08500 B	4 PS four stroke Honda petr. eng.	3800	700	850	72	3,5	50	1400x880x980	116	■ ■
STAR 1-110 B	KS1 00110 B	4 kW four stroke Honda petr. eng.	7600	700	1100	79	6	64	1480x900x1250	287	■ ■
STAR 1-110 E	KS1 00110 E	24 V electric motor	6800	700	1100	75,5	6	64	1480x900x1250	248	■ ■

\*) weight without batteries



# ... compact and flexible



Honda 4 stroke engine version.



Electric-version.







# Fast and efficient ...



**The main features for the STAR 1-115 and 1-120:**

- Full hydraulic operated
- High dumping of the waste bin  
STAR 1-115 up to 1.32 m  
STAR 1-120 up to 1.40 m
- Direct sweeping principle into front container
- Electric filter shaker
- Large dimensioned polyester filter
- High vacuum power for dust free sweeping
- Vacuum stop for sweeping in wet areas
- Two hydraulic operated side brushes
- Hydraulic operated main brush
- The machine keeps the pressure on the main brush constant until the brush is completely worn
- Operating and parking brake
- Traction on rear wheels
- Super elastic tyres
- High gradeability
- Easy to operate due to central arranged operating panel
- Safety seat switch



# ...the industrial one

Clear and ergonomic control elements.



STAR 1-115 D/B/E  
STAR 1-120 D/E  
Standard equipment  
with two side brushes

Filterbox easy accessible.



Model	Order-no.	Drive	Efficiency	Max. working width		Filter	Container	Dimension	Weight*	Noise	Users
				without	/ 2 side	size	content	W x D x H		DB	recommend.
			m²/h	mm	mm	m²	l	mm	kg	dB (A)	
STAR 1-115 B	KS1 00115 B	4,0 kW four stroke Honda petr. eng.	9100	780	1300	6	180	1820x1080x1360	570	79	
STAR 1-115 D	KS1 00115 D	8,1 kW four stroke Lombardini diesel	9100	780	1300	6	180	1820x1080x1360	585	79,5	
STAR 1-115 E	KS1 00115 E	36 V electric motor	8450	780	1300	6	180	1820x1080x1360	530	78	
STAR 1-120 D	KS1 00120 D	11,8 kW four stroke Lombardini diesel	13000	850	1350	6	205	1940x1180x1430	690	79	
STAR 1-120 E	KS1 00120 E	36 V electric motor	11000	850	1350	6	205	1940x1180x1430	690	78,5	

\*) weight without batteries



For the big expectations  
– the powerful allrounder



STAR 1-155 D/STAR 1-170 D  
Standard equipment with two side brushes



The STAR 1-155/1-170, simple, robust, reliable and full hydraulic operated. This ride on vacuum sweepers can handle large areas indoor or outdoor. Heavy sweeping goods or fine dust – No problem at all.

- Due to traction on the steering rear wheel the machine has an excellent manoeuvrability and is easy to drive, even in corners or narrow places
- The hydraulic operated central brush adapts to the contour of the floor and does not need to get adjusted at any more
- Easy high dump of the dirt container controlled from the operating panel
- Due to sweeping methods without dispersion of the dust, the machine can be operated in close areas, for Example: in big warehouses, manufacture halls, casting house, in shoppingcenters also outside areas
- Dust free sweeping
- Large dimensioned filters
- Easy change of the main brush
- Operating and parking brake
- Flashing beacon



Model	Order-no.	Drive	Efficiency	Max. working width		Filter size	Container content	Dimension W x D x H	Weight*	Noise DB	Users-recommend.
			m <sup>2</sup> /h	mm	mm						
STAR 1-155 D	KS1 00155 D	11,8 kW four stroke Lombardini diesel	14500	1000	1500	8	300	1940x1330x1430	880	79,5	■
STAR 1-170 D	KS1 00170 D	26,0 kW four stroke Lombardini diesel	25000	1200	1800	10,5	500	2442x1570x1640	1340	78	■

\*) electric-version on request

		KS1 02000 H	KS1 05050 E/B	KS1 08100 E/B	KS2 08500 E/B	KS1 11001 E/B	KS 1 00110 B	KS 1 00110 E	KS 1 00111 5 B/E/D	KS 1 00120 B	KS 1 00120 E	KS 1 00120 D	KS 1 00155 E	KS 1 00155 D	KS 1 00170 E	KS 1 00170 D
Des./Order-No.	Description															
Side brush																
																
KSZ0200SBP	PPN	●														
KSZ0500SBP	PPN		●													
KSZ0810SBP	PPN			●												
KSZ0850SBP	PPN				●											
KSZT100SBP	PPN					●										
KSZ0500SBD	PPN/wire		○													
KSZ0850SBD	PPN/wire				○											
KSZT00SBD	PPN/wire					○										
8194200130	PPN						●	●								
8194200364	PPN								●	●	●	●	●	●		
8194200365	PPN/steel								○	○	○	○	○	○		
8193002627	PPN														●	●
Main brush																
																
KSZ0200HKP	PPN	●														
KSZ0500HKP	PPN		●													
KSZ0810HKP	PPN			●												
KSZ0850HKP	PPN				●											
KSZT100HKP	PPN					●										
KSZ0500 HKD	PPN/wire		○													
KSZ0850HKD	PPN/wire				○											
KSZT100HKD	PPN/wire					○										
KSZ0500HKNN	nature		○													
KSZ0810HKNN	nature			○												
KSZ0850HKNN	nature				○											
KSZT100HKNN	nature					○										
8193000441	nylon						●									
8193000406	PPN Ø 0.6					●	○									
KSZ0810HKD	PPN/steel			○												
8193000408	PPN/steel					○										
8193002800	PPN Ø 1.0								●							
8193003020	PPN/steel							○								
8193001854	PPN Ø 1.0									●						
8193001855	PPN Ø 1.4								●	○	●					
8193002681	PPN/steel								○	○	○					
8194200360	PPN Ø 1.0											●				
8194200361	PPN Ø 1.4											○	●			
8194200359	PPN / steel											○	○			
8193002223	PPN Ø 1.2												●	●	●	●
8193002793	PPN/ nature												○			



			KS 100110 B	KS 100115 B	KS 100115 E	KS 100115 D	KS 100120 B/E	KS 100120 D	KS 100155 B/E	KS 100155 D	KS 100170 E	KS 100170 D
Order-No.	Description											
Optional equipment												
8192100001	Cyclon filter for fine dust		○									
8192100002	Polyester filter 6.5 m²						○	○				
8192100003	Cyclon filter and Donaldson filter							○		○		
8192103095	Lights front / rear			○								
8192103097	Lights front / rear		○									
8192101910	Roof						○	○				
8192102531	Roof with windscreen and wiper						○	○				
8192102532	Roof with windscreen and wiper and PVC – side covering						○	○				
8192101908	Lights front/rear						○	○				
8192102690	Side brush exhaust						○	○	○	○		
8192101905	Roof								○	○		
8192102533	Roof with windscreen and wiper								○	○		
8192102534	Roof with windscreen and wiper and PVC – side covering								○	○		
8192100004	Solid rubber wheels											○
8192102742	Roof										○	○
8192102660	Driver's cab											○
8192102783	Driver's cab with heater											○
8192102779	Lights front/rear										○	○
8192102781	Third side brush										○	○
8192102782	Side brush exhaust										○	○

			KS1 0500 E	KS1 08100 E	KS2 08500 E	KS1 10001 E	KS 100110 E	KS 100115 E	KS 100120 E	KS 100155 E	KS 100170 E
Description	Order-No.	Description									
Batteries	BSZ 0045 BA	wet-battery 12 V - 100 Ah		①	①						
	KSZ 0500 BA	wet-battery 12 V - 60 Ah	①								
	BSZ 0600 BA	wet-battery 12 V - 240 Ah				④	④				
	KSZ 0900 BA	wet-battery 6 V - 280 Ah					④				
	KSZ 0200 BW	gel-battery 12 V - 50 Ah	①								
	KSZ 0500 BW	gel-battery 12 V - 100 Ah	①	○							
	KSZ 1000 BW	gel-battery 6 V - 225 Ah				④	④				
	KSZ 0900 BW	gel-battery 6 V - 270 Ah					④				
	BSZ 0050 BA	battery-trough 36 V - 320 Ah							①	①	①
KSZ 0070 BA	battery-trough 48 V - 600 Ah									①	
Charging unit	KSZ 2400 LA	wet-battery 12 V - 18 A	①	○							
	KSZ 2100 LW	for gel-battery 12 V - 10,5 A	○								
	KSZ 2200 LW	for gel-battery 12 V - 14 A	①	○							
	KSZ 2500 LA	for wet-battery 12 V - 13,5 A	○								
	KSZ 2000 LA	for wet-battery 24 V - 20 A					○				
	KSZ 2001 LA	for wet-battery 24 V - 20 A				○					
	KSZ 0900 LA	for wet-battery 24 V - 20 A					○				
	KSZ 2000 LW	for gel-battery 24 V - 20 A					○				
	KSZ 2002 LA	for wet-battery 24 V - 20 A					○				
	KSZ 0900 LW	for gel-battery 24 V - 20 A					○				
	KSZ 0070 LA	battery-trough 48 V - 600 A									○
	BSZ 0050 LA	battery-trough 36 V - 40 A							○	○	○
Automatic-filling-syst.	BSZ 0050 AB	for all battery-trough						○	○	○	○

● Standard accessories ○ Special accessories ② Number of special accessories ③ Number of standard accessories (here two pieces)



Carpet Washer

Carpet Washer EASY

Carpet and floor vacuum washer or also »Spray extraction units« are used for quick and pore deep cleaning of carpets, textile covered walls, upholstery and cleaning the inside of cars, but also for cleaning hard floors.

The working method is as follows: a water/cleaning solution is sprayed under pressure and either immediately vacuumed off, or after a certain time to let the solution solve and take effect. Spraying and vacuuming off is possible at the same time with these models. The dirt water is collected in the dirt water container and can then be disposed by removing the container. Of course, with the equipped standard accessories, the appliances can also be operated as quite normal dry/wet cleaners and are therefore universally applicable.












▲ EASY 32 during wet carpet cleaning with carpet adaptor.










Model	Order-no.	Air	Column depression	Spray dosis	Suction motor	Noise	Chemical tank	Dirt water tank	Dimensions W x D x H	Weight	Users-recommend.
		l/min	mm	l/min	1~230 V/50 Hz	dB(A)	l	l	mm	kg	
EASY 29	TWX 2900	3000	2200	1,8	1080 by-pass	73	6,2	29	380x380x570	9,5	<div></div> <div></div> <div></div>
EASY 32	TWX 3200	3000	2200	1,8	1080 by-pass	73	9,5	32	380x380x710	17	<div></div> <div></div> <div></div>
EASY 80	TWX 8000	5800	2200	3,6	2x1080 by-pass	77	18,0	70	570x610x960	35	<div></div> <div></div> <div></div>



			TWX 2900	TWX 3200	TWX 8000
Description	Order-No	Description			
Floor nozzle	TWE 00 27 53		●	●	
	TWE 00 27 06	complete with holder, nozzle and chemical hose	●	●	
Suction nozzle	TWE 00 27 07	with brush and rubber lip	●	●	
					
Bended metal pipe	TWE 00 27 58	for floor nozzle	●	●	
					
Extension pipe	TWE 00 07 12	500 mm	●	●	
					
Bended hand pipe	TWE 00 07 10		●	●	●
					
Pressure pistol	TWZ 00 61 75	with holder	●	●	
					
Hand upholstery nozzle	TWZ 00 07 52		●	●	●
					
Carpet floor nozzle	ISZ 00 36 81	changeable 250 mm		●	●
					
Joint nozzle	ISZ 00 36 02	250 mm LG	●	●	
					

● Standard accessories    ○ Special accessories

Carpet Washer • Accessories

			TWX 2900	TWX 3200	TWX 8000
Description	Order-No	Description			
Upholstery nozzle	ISZ 00 36 85		●	●	
					
Round brush nozzle	ISZ 00 36 87		●	●	
					
Spray and suction hose	TWZ 20 16 59	40 mm			●
	TWZ 00 25 48	36 mm		●	
	TWZ 00 26 73	36 mm		●	
					
Filter connection ring	ISE 00 05 07		●	●	
Filter connection	TWE 00 26 55				
Polyester filter	TWE 00 01 24				
					
Carpet cleaning nozzle	TWZ 00 05 96	250 mm for TWX 8000			●
					
	TWZ 00 61 79	Spray and suction hose complete for hard floor and carpet for TWX 29/31/32	●	●	
Carpet spray nozzle	TWZ 00 27 00	4-jet			○
					
Spray-brush attachment	TWZ MAGNUM	electric operated 230 Volt			○
					



# Wet/Dry Vacuum Cleaners



Cleaning a vehicle.

## WEIDNER Wet and Dry Cleaner – House & Office

The use of these units is universal. For house, in business and offices, vehicle cleaning, in agriculture and many other application possibilities.

All units are equipped with powerful air cooled by-pass turbines and a permanent, washable textile filter (one way filter bags are available). The advantages of these units are obvious, short working times and the greatest cleanliness and hygiene due to the enormous suction power. The extensive standard and special accessories facilitate vacuuming in critical, difficult to access areas and solve many cleaning problems in a simple and effective way.

FLORIDA 2025 ▶



◀ PROFI 30. The whisper vacuum cleaner is extremely quiet when running. With powerful suction it is preferred for use in the office, restaurant and hotel because of the low noise irritation.



Cleaning offices and living rooms.



PROFI YES ▶



Model	Order-no.	Air	Column depression	Suction motor	Noise	Tank content	Weight	Dimensions W x H x D	Users-recommend.
		l/min	mm	1~230 V/50 Hz	dB(A)	l	kg	mm	
PROFI YES	ISX PRO YES	4260	2200	1200 by-pass	65	16	8,5	360x360x470	■ ■
PROFI 30	ISX PRO 030	3250	2300	1030 by-pass	65	29	7,6	380x380x570	■ ■
FLORIDA 2025	ISXN 02025	3000	2200	1080 by-pass	73	25	9,3	380x380x620	■ ■



# Wet/Dry Vacuum Cleaners

## WEIDNER Industrial Vacuum Cleaner Profi-Line

Extremely powerful suction, with the option of one, two or three suction motor models available. These industrial cleaners cope with the most difficult cleaning task in industry and businesses. Proven, long life and air cooled by-pass suction turbines are used, which resist frost and heat. Various models, extensive standard accessories and the possibility to extend the suction hose up to 30 metres and more, open possibilities for the most diverse cleaning.



FLORIDA 2050  
Powerful suction, 1 motor vacuum cleaner, with stainless container, for trade and businesses.



FLORIDA 2182 ▶  
FLORIDA 2183



Length of suction hose as desired until 30 m and more.

▼ FLORIDA 2183K



With the 2 large wheels on the back of the "tilting carriage", the cleaners can also be easily transported over stairs and ledges, the 2 steering rollers at the front ensure additional mobility. The suction turbines are individually switchable, and can therefore be adjusted to the required output. The stainless steel container can be emptied simply by tilting carriage. All cleaners are equipped with a washable, permanent filter, however, on request they can also be operated with one way filter bags. A fantastic capacity capabilities, quick amortisation and long term usage at a reasonable price!

Model	Order-no.	Air	Column depression	Suction motor	Noise	Tank content	Dimensions W x H x D	Weight	Users-recommend.
		l/min	mm	1~230 V/50 Hz	dB(A)	l	mm	kg	
FLORIDA 2050	ISXN 02050	3000	2400	1200 W by-pass	73	32	380x380x710	10	■ ■
FLORIDA 2182	ISXN 02182	5800	2200	2x1200 W by-pass	77	78	570x610x960	26	■ ■
FLORIDA 2183	ISXN 02183	8500	2200	3x1200 W by-pass	78	78	570x610x960	28	■ ■
FLORIDA 2183 K	ISXN K 2183	8500	2200	3x1200 W by-pass	78	78	570x610x960	28	■ ■
FLORIDA 2183 C	ISXN C 2183	8500	2200	3x1200 W by-pass	78	78	570x610x960	28	■ ■



# Wet/Dry Vacuum Cleaners



NEW

## WEIDNER Vacuum Cleaner Wet and Dry typ MIAMI

The use of these units is universal. For house, in business and offices, vehicle cleaning, in agriculture and many other application possibilities. All units are equipped with powerful air cooled by-pass turbines and a permanent, washable textile filter (one way filter bags are available).

The advantages of these units are obvious, short working times and the greatest cleanliness and hygiene due to the enormous suction power. The extensive standard and special accessories facilitate vacuuming in critical, difficult to access areas and solve many cleaning problems in a simple and effective way.

▲ ISXWE 2125



NEW

▲ ISXWE 2150



NEW

## WEIDNER Industrial Vacuum Cleaner

Extremely powerful suction, with the option of one, two or three suction motor models available. These industrial cleaners cope with the most difficult cleaning task in industry and businesses. Proven, long life and air cooled by-pass suction turbines are used, which resist frost and heat. Various models, extensive standard accessories and the possibility to extend the suction hose up to 30 metres and more, open possibilities for the most diverse cleaning.

▲ ISXWP 2282/83  
Standard with drain-hose  
Ideal for water sucking

Model	Order-no.	Air	Column depression	Suction motor	Noise	Tank content	Weight	Dimensions W x H x D	Users-recommend.
		l/min	mm	1~230 V/50 Hz	dB(A)	l	kg	mm	
MIAMI 2125	ISXWE 2125	3000	2200	1080 W by-pass	78	15	9,3	370x370x550	■ ■
MIAMI 2150	ISXWE 2150	3000	2200	1x1200 W by-pass	78	30	10	370x370x750	■ ■
MIAMI 2282	ISXWP 2282	5800	2200	2x1200 W by-pass	77	78	22	570x580x960	■ ■
MIAMI 2283	ISXWP 2283	8500	2200	3x1200 W by-pass	78	78	24	570x580x960	■ ■



# Wet/Dry Vacuum Cleaners

## WEIDNER MISTRAL 602/802

Robust, easy to handle and low noise. These models are designed for professional applications to vacuum dust, solid particles and liquids. The built in float stops the vacuum once the container is full. A fine filter protects the turbines from dust and dirt. The complete set for dry vacuuming consists of two filters, one nylon and one polyester. The containers are of solid painted steel, on request stainless steel version is available as an option. Optional accessory can be found in our price list.



▲ MISTRAL 602 WD



For large quantity of accessories,  
please contact us directly.



NEW

▲ MISTRAL 802 WD

## MISTRAL 352 DS

Robust, reliable low noise and simply professional. These models are especially designed for toxic or fine dust. The large pocket filter with 20,000 cm<sup>2</sup> warrants long vacuuming operation and maximum filtration.

A negative pressure gauge indicates the condition of the filter, which can be manually cleaned with the built in filter shaker. The dirt container can be clicked off very easily for emptying and cleaning. Various filter classes are available, even hepa filter to meet the cleaning needs.



At the build in plug optional electrical power tools can be connected up to 600 Watt. The standard dirt container consists of painted steel, the vacuum inlet is out of aluminium. As an option the container and the upper vacuum container can be delivered in a stainless steel version. Various filter models are available to meet the cleaning needs.

Description	MISTRAL 602 WD	MISTRAL 802 WD	MISTRAL 352 DS	MISTRAL 150
Order-no.	ISY0602 WD	ISY0802 WD	ISY02200 LD	ISY150ECOLD/KD
Volts	[Volt]	230/50/60	230/50/60	230-400/50/60
Motors	2	2	2	1
Vac type	wet/dry	wet/dry	dry	wet/dry
Power	[Watt]	2200	2200	1500
Vacuum	[H <sub>2</sub> O]	2200 mm	2200 mm	2750 mm
Air flow	[m <sup>3</sup> /h]	360	360	200
Filtering surface	[cm <sup>2</sup> ]	7.000	7.000	20.000
Specific airflow o. filter	[m <sup>3</sup> /m <sup>2</sup> /h]		180	100
Container	[l]	60	80	35
Suction	[Ø mm]	80	80	80
Noisiness	[dB (A)]	70	70	76
Dimension	[mm]	420x420x900	500x480x1080	500x600x1270
Weight	[kg]	28	30	40
Absolut-filter efficiency	-99,999% DOP		optional	optional



▲ MISTRAL 352 DS



# Wet/Dry Vacuum Cleaners



## BORA for professionals

Powerful and easy-to-handle three-phase exhaust fans for continuous use, high extraction capacity and totally maintenance free. Made entirely of painted steel, very high filtering capacity, clip-off container, filter shaker, power between 2.2 kW and 5.5 kW, capacity between 50 and 100 litres.

The side channel vacuum turbine which is out of aluminium is directly coupled to the electric motor without any belts and pulleys. This configuration of motor and turbine operates at lowest noise level and can be operated continuously 24 hours around the clock.

### The features are:

- Manual filter shaker
- Large pocket filter
- Large wheels with brake allows an easy move around
- Dirt container with wheels, easy to click off for emptying and cleaning
- A wide range of accessories is available



Pre separator for all industrial vacuum-cleaner, several types and sizes.



The optional accessories can be found in our price list.

▲ BORA

For large quantity of accessories, please contact us directly.

Description		BORA 50	BORA 75	BORA 100	BORA 150	BORA 220
Order-no.		ISY03000KD	ISY04000KD	ISY05500KD	ISY01500LD	ISY02200KD
Volts	[Volt]	400/50/60	400/50/60	400/50/60	230/50/60	230/50/60
Power	[kW]	3	4	5.5	1,5	2,2
Vacuum	[mm H <sub>2</sub> O]	3.000	3.000	3.000	2.750	3.000
Air flow	[m³/h]	300	350	550	200	300
Fitering surface	[cm²]	20.000	20.000	30.000	20.000	20.000
Polyester filter	[gr./m²]	550	550	550	550	550
Specific airload of filter	[m³/m²/ʰ]	150	175	183	100	150
Capacity	[l]	50	75	80	50	50
Suction	[Ø mm]	80	80	80	80	80
Noisiness	[db (A)]	77	77	78	76	77
Isolation	[CL]	F	F	F	F	F
Supply cable	[mt]	10	10	10	10	10
Dimension	[mm]	620x620	620x620	750x800	580/600	580/600
Height	[mm]	1400	1600	1600	1400	1400
Weight	[kg]	80	90	120	70	80



# Special Vacuum Cleaner



▲ TECNOIL

## BORA 13000/19000/22000 KD\*

Powerful three phase exhaust fan turbine for continuous use. High extraction capacity, very high pocket or cardridge filtering capacity, clip off container, filter shaker are some of features. The turbine is total maintenance free. Optional: it can be equipped with pneumatic filter cleaning or as an explosion proof version (model up to 30 hp available).

For large quantity of accessories, please contact us directly.

## TECNOIL 250 M and 250 T3

The ideal vac to suck fluids, chipping or wolants on machine tools, Tecnoil not only extracts but retains the chipping and filters the oil before pumping this again on the machine tool. Also ideal for extracting large quantities of liquid and sludge from tanks and containers, Tecnoil is available in single-phase and three-phase versions, between 3 kW and 7.5 kW, with capacities of 250 or 450 litres.

### \* Optional:

- Filter board and dirt container in stainless steel
- Filter "C"
- Absolutely filter category "K1" (not ISY05500KD)



## BORA AIREXT/N\*

Compressed air operated explosion proof vacuum cleaner. It can be used in hazardous areas where electrical machines are not allowed. It is available in 2 versions, one for inflammable liquids and one for explosive materials. The applications are powerplants, petrochemical industry, mines, nuclear plants, gunpowder magazines and many more.



Order-no.	ISY 0250 M	ISY 0250 T3	ISY 05500 KD	ISY 13000 KD	ISY 19000 KD	ISY 22000 KD	ISY AIREXT	ISY AIREXN
Volts	[Volt]	230/50	400/50	400/50/60	400/50/60	400/50/60	compr. air	compr. air
Motors		3	1	1	1	1	-	-
Vac type		wet/dry	wet/dry	dry	dry	dry	dry	wet
Power	[Watt]	3600	4000	5500	13000	19000	22000	
Vacuum	[H <sub>2</sub> O]	2300 mm	3000 mm	3200 mm	4000 mm	4200 mm	4200 mm	4800 mm
Air flow	[m <sup>3</sup> /h]	600	300	600	1100	1200	2200	456
Pump capacity	[l/min]	130	130					
Capacity	[l]	40*/250**	40*/250**	100	100	200	200	55
Suction	[Ø mm]	50	50	80	100	100	100	80
Noise	[db (A)]	76	77	78	78	78	80	74
Isolation		II	F	F	F	F	F	
Protection	[IP]	-	IP	55	65	65	65	
Min. air flow	[m <sup>3</sup> /h]						90	90
Necessary pressure	[bar]						4-8	4-8
Dimensions	[cm]	60x70x125	60x70x125	75x80x160	77x125x175	92x220x225	92x220x225	62x62x163
Weight	[kg]	100	120	120	300	400	600	60
K 1 Filter				optional	optional	optional	optional	optional



# Fire Brigade Vacuum Cleaner · Industrial Vacuum Cleaner



## WEIDNER Pump Vacuum Cleaner, Heavy Duty Line

This 2 motor special cleaner is used where large quantities of liquids must be sucked off, i.e. during floods, water pipe breakages, accidents. The sludge pump, integrated in the container vessel with automatic floating switch, is capable of pumping off the sucked off dirty water via a disposal hose permanently, if required even up to a height of 11 metres. Simultaneous sucking and pump off without annoying interruptions is fast and effective, which is extremely important in emergency situations. A further important advantage is, that the surfaces can be sucked off totally, until practically dry.

### The standard equipment:

- Suction entry
- Sludge pump with automatic level switch
- Pressure output for disposal with C-connection.

Pump Vacuum Cleaner ▶  
STREAM 22



The pump vacuum cleaner in action during fire brigade emergencies.

## WEIDNER Baking Oven Vacuum Cleaner

This unit is a 280°C heat resistant vacuum cleaner. It is ideal for use in bakeries, pizzerias and in industry, where cleanliness and hygiene are required and where, due to time and costs, cleaning can only be carried out in »hot conditions«.



The baking oven cleaner at work in a large bakery.



▲ PROFI 80

## WEIDNER-liquid-seperator

Especially for cleaning industrial tooling and drilling machines. The inner metal parts separator which consists of the alloy container and a metal filter mesh is separating the metal parts from tooling machines and the drilling water. Emptying of the container can be done easily with a hoist, by lifting the entire filter inlet out. The drain outlet with ball valve allows easy emptying and recycling of the drilling liquid. The robust chassis allows easy transportation and handling. The 3 m vacuum hose and the joint nozzle are standard equipment.



## Cyclon vacuum with automatic start

This vacuum cleaner has a cyclon filtering system which deposits all dirt and extreme fine dust into the dirt container. The additional safety hepa filter stays always clean. The PROFI 40 has a start-stop automatic and a power socket to connect and operate electric tools or machines.



Cyclon unit ▶



PROFI 40 ▲













The heat resistant standard accessories for the baking oven vacuum cleaner. ▲










Model	Order-no.	Air	Column depression	Suction motor	Noise	Tank content	Dimensions W x H x D	Weight	Users-recommend.
		l/min	mm	50 Hz	dB(A)	l	mm	kg	
STREAM 22	ISY PS 2201	5800	2200	230 V/2x1200 W	77	80	570x610x960	36	■
PROFI 40	ISX PRO 040	3000	3190	230 V/1500 W	72	32	380x380x710	10	■
PROFI 61	ISX PRO 061	3200	2400	230 V/1200 W	70	27	560x470x880	25	■
PROFI 80	ISY SPS 802	5600	2200	230 V/2160 W	70	75	590x500x1010	35	■



# Wet/Dry Vacuum Cleaner · Special Vacuum Cleaner · Accessories








Description	Order-No	Description	ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Carpet floor nozzle	ISZ 00 36 81	changeable	●	●	○	●				
										
Upholstery nozzle	ISZ 00 36 85		●	●	○	●				
										
Joint nozzle	ISZ 00 36 02	250 mm	●	●	○	●				
	ISZ 00 36 06	350 mm	○	○	○	○				
										
	ISZ 00 40 02						●	●	●	
	ISZ 00 60 13	350 mm						○	○	
Round brush nozzle	ISZ 00 36 87		●	●						
										
	ISZ 00 40 03						●	●	●	
Bended hand pipe	ISZ 00 36 32	with air circulation	●	●		●				
										
Bended hand pipe	ISZ 00 40 84	with air circulation								●
		new version								
Extension pipe	ISZ 00 36 30	metal inside 500 mm	●	●		●				
										
	ISZ 00 40 85	new version								●
Floor nozzle	ISZ 00 36 10	with rubber lips 350 mm	●			●				
										
Flat scrape nozzle	ISZ 00 36 01	metal 370 mm	○	○		○	○	○	○	○
										
Rubber cone nozzle	ISZ 00 36 15	rubber black	○	○		○	○	○	○	○
										







● Standard accessories ○ Special accessories

Description	Order-No	Description	ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Pipe cleaning nozzle	ISZ 00 36 28	with brush 200 mm Ø	○	○		○	○	○	○	○
										
	ISZ 00 36 27	with brush 100 mm Ø	○	○		○	○	○	○	○
PUC flat nozzle	ISZ 00 36 22		○	○		○	○	○	○	○
										
Universal brush	ISZ 00 36 04		○	○		○	○	○	○	○
										
Radiator nozzle	ISZ 00 36 03		○	○		○	○	○	○	○
										
Brush currycomb	ISZ 00 36 26		○	○		○	○	○	○	○
										
Pencil currycomb	ISZ 00 36 25		○	○		○	○	○	○	○
										
Hair currycomb	ISZ 00 36 24		○	○		○	○	○	○	○
										
Oval brush	ISZ 00 36 14		○	○		○				
										
Floor nozzle metal	ISZ 00 36 08	metal 350 mm	○	○		○				
										













Description	Order-No	Description	ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Floor nozzle	ISZ 00 36 17	with brush insert 350 mm	○	○	○					
										
Floor nozzle	ISZ 00 36 09		○	○	○					
										
Spin sleeve accessory part	ISZ 00 36 73		●	●	●					
										
Suction hose with sleeve	ISZ 00 36 61	3 m	●	●	●					
	ISZ 00 40 60	4 m				●	●	●	●	
	ISZ 00 60 40	3,5 m				○	○	○	○	
										
Suction hose/m	ISZ 00 36 64		○	○	○					
	ISZ 00 40 44					○	○	○	○	
	ISZ 00 60 44					○	○	○		
										
Hose sleeve	ISZ 00 36 36		○	○	○					○
	ISZ 00 40 40					○	○	○		
	ISZ 00 60 60					○	○	○		
										
Hose sleeve	ISZ 00 36 71		●	●	●					
	ISZ 00 40 72					●	●	●	●	
	ISZ 00 60 61					○	○	○	○	
										

Description	Order-No	Description	ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Extension pipe	ISZ 00 36 40	500 mm, PVC	○	○	○					○
	ISZ 00 40 12					●	●	●		
	ISZ 00 40 85	new version				●	●	●	●	
	ISZ 00 60 12				○	○	○	○		
Hose sleeve	ISZ 00 40 70					●	●	●		
accessory part										
	ISZ 00 60 23				○	○	○	○		
Floor nozzle	ISZ 00 40 89					●	●	●		
with brush lips										
	ISZ 00 40 87	new version							●	
										
Floor nozzle	ISZ 00 40 90					●	●	●		
with brush lips										
	ISZ 00 40 86	new version							●	
										
Carpet floor nozzle	ISZ 00 40 91					○	○	○		
										
Floor nozzle	ISZ 00 40 39					○	○	○		
										
Bended hand pipe	ISZ 00 40 88	2 pos				●	●	●		
										
Y-star socket	ISZ 00 40 06					○	○	○		
										



Description	Order-No	Description	ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Industrial floor cleaning set	ISZ 00 80 11							○	○	
										
Accessory set	ISZ 00 80 17	36 mm 8-pos	●	●	●					
										
Accessory set	ISZ 00 80 18	40 mm 11-POS						●	●	●
										
Machine adapter	ISZ 003616		○	○	○					
										

Description	Order-No	Description	ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Industrial floor nozzle	ISZ 07 00 0 N	with rubber lips						○	○	○
										
Industrial floor nozzle	ISZ 07 00 0 T	with brush lips						○	○	○
										
Industrial floor nozzle	ISZ VORTEX	type Vortex wet and dry						○	○	○
										
Cyclon-filter	ISZ CYCLON	with tank						○	○	
										



# Single Disc Machines



## WEIDNER Single Disc Machines ORION

The single disc machine is one of the most diverse and simple machines for cleaning tasks. With the same machine various cleaning tasks can be carried out by simple exchange of the accessory discs. Examples of applications are: scrubbing, scouring, polishing and waxing of hard floors. Shampooing of carpets, ripping up and removing of old carpets, sanding of wood, floors, stone or clay floors and metal surfaces. The advantages are obvious: Quick and comfortable operation, various and diverse application with the right accessories and surprisingly low investment costs.



Care and cleaning of tiles, ceramics and hard floors of all types.



Shampooing of carpets.



The right accessories are the important thing.



▼ ORION 43/43 HSO



▲ ORION 33



▲ ORION 33015/43015



▲ ORION 15000

Model	Order-no.	Tpm	Motor power	Dimensions LxWXH	Weight	Users-recommend.
		U/min	1~230 V/50 Hz	mm	kg	
ORION 33	ESX 33 010	180	450 Watt	420x330x1200	20	■
ORION 33 015	ESX 33 015	180	450 Watt	420x330x1200	20	■
ORION 43	ESX 43 010	160	1000 Watt	530x430x1200	43	■
ORION 43 015	ESX 43 015	160	1000 Watt	530x430x1200	43	■
ORION 43 HSO	ESX 43 HSO	500	1200 Watt	530x430x1200	43	■
ORION 15000	ESX 1500	1500	1200 Watt	940x580x1200	50	■



Description	Order-No.	Description	ESX 33 010/015	ESX 43 HSO	ESX 43010/015	ESX 15 000
Pad holder	ESZ 33 23 1		○			
	ESZ 43 24 0			○		
	ESZ 15 12 0				○	
	ESX 43 25 8		○			
Nylon disc	ESZ 33 23 2		○			
	ESZ 43 24 1			○		
	ESZ 44 24 1					
Polishing disc	ESZ 33 23 3		○			
	ESZ 43 24 2			○		
Shampooing disc	ESZ 33 23 4		○			
	ESZ 43 24 3			○		
Spring-steel-disc	ESZ 33 23 6		○			
	ESZ 43 24 5			○		
Tynex disc	ESZ 33 23 7		○			
	ESZ 43 24 6			○		
	ESZ 44 24 2					
	ESZ 54 26 2					
Steel scratch disc	ESZ 43 24 7			○		
Carborundum grinding disc	ESZ 43 24 9			○		
Grinding disc	ESZ 43 24 8			○		
Abrasive paper	ESZ 43 41 2	grain 12		○		
	ESZ 43 41 3	grain 16		○		
	ESZ 43 41 4	grain 24		○		
	ESZ 43 41 5	grain 36		○		
	ESZ 43 41 6	grain 40		○		
	ESZ 43 42 0	grain 60		○		
	ESZ 43 42 5	grain 80		○		
	ESZ 43 42 9	grain 120		○		
	ESZ 43 43 0	grain 150		○		

○ Special accessories

# Single Disc Machines · Accessories

Description	Order-No.	Description	ESX 33 010/015	ESX 43 HSO	ESX 43010/015	ESX 15 000
Superpad	PAD 600 WE 130	white	○			
	PAD 600 BE 130	beige	○			
	PAD 600 RO 130	red	○			
	PAD 600 GR 130	green	○			
	PAD 600 BL 130	blue	○			
	PAD 600 BR 130	brown	○			
	PAD 600 SC 130	black	○			
	PAD 600 WE 170	white	○	○		
	PAD 600 BE 170	beige	○	○		
	PAD 600 RO 170	red		○		
	PAD 600 GR 170	green		○		
	PAD 600 BL 170	blue		○		
	PAD 600 BR 170	brown		○		
	PAD 600 SC 170	black		○		
	PAD 600 WE 210	white				
	PAD 600 BE 210	beige				
	PAD 600 RO 210	red				
	PAD 600 GR 210	green				
	PAD 600 BL 210	blue				
	PAD 600 BR 210	brown				
	PAD 600 SC 210	black				
	PAD 600 WE 180	white				○
	PAD 600 BE 180	beige				○
Microfaser poly pad	PAD A02 02 170				○	
Poly pad	PAD A02 00 170	blue-white for structure floor			○	
Queen-Bonet	PAD 606 GW 170	green-white for carpet-clean			○	
	PAD 606 BW 171	brown-white for carpet-clean			○	
Chemical tank	ESZ 00 23 0		○	○		
Exhaust van	ESZ 00 25 7	for ORION 43			○	

Order-No. KAT(BR-GB) 8/2009



